**Article Info**

# Measuring Effect of Machining Parameters on Surface Roughness with Turning Process- Literature Survey

*Ranganath M S\* and Vipin\*\**

## ABSTRACT

*This paper aims to study the effect of the machining parameters on surface roughness. A literature survey has been presented to identify and mention the gap for further research after the study of a good number of published papers.*

## 1.0 Introduction

In industry lot of production activity is carried out to manufacture many things. The process of production of large number of items requires removing the excess material from the raw material. The activity involves large number of machine as well as human parameters which makes it complex phenomenon. The production activity determines the overall cost of the basic product. In the age of competition the cost has to be minimal. To achieve this, production activity needs to be optimized in terms of cost/time. The cost/time of production depends upon human parameters such as competency level and wages whereas the machine parameters are speed, feed, depth of cut and the number of passes. These parameters apart from the production rate, influence quality of finished product during a machining operation. To study the influence of various parameters involved one needs to find out from the available data, the practice involved and the shortcomings if any and the possible remedial measures.

## 2.0 Literature Review

In this paper the Literature Review has been presented in a tabular form. A number of published papers related to the machining area have been studied. Nearly 80 papers related to study of machining parameters have been separated for further consideration of detailed study.

Machining parameters such as speed, feed, depth of cut, nose radius and rake angle have been studied in detail along with their effect on surface roughness.

Many researchers have considered only Speed, feed and Depth of cut as input parameters. The review table given below explains the details of parameters considered in earlier studies by various researchers.

Y represents the consideration of the parameter and X represents parameter not in consideration.

Wherever the parametric values are available, they have been mentioned respectively in the table given below.

*\* Corresponding Author: Department of Mechanical Engineering, Delhi Technological University, Shahabad, Delhi, India (E-mail: ranganathdce@gmail.com)*

*\*\*Department of Mechanical Engineering, Delhi Technological University, Shahabad, Delhi, India*

**Table 1: Published Work on the Study of Effect Machining Parameters on Surface Roughness**

| Serial No | Author | Spindle Speed (rpm) / Cutting Speed (m/min) | Feed (mm/rev) | Depth of Cut (mm) | Nose Radius (mm) | Rake Angle (Degrees) |
|---|---|---|---|---|---|---|
| 1. | [1971]Rasch and Rolstadas | Y | Y | X | Y | X |
| 2. | [1974]Taraman and Lambert | Y | Y | Y | X | X |
| 3. | [1990]Hassan and Suliman | Y | Y | Y | X | X |
| 4. | [1998]A. K.M. Nurul Amin et al. | 160, 200, 240 | 0.2 | 1 | X | X |
| 5. | [2001]B. Y. Lee and Y.S. Tarng | 53.44, 57.95, 59.85, 75.70, 81.58, 84.78, 106.88 | 0.06, 0.16, 0.29, 0.40, 0.52 | 1.5, 0.5, 1.0 | x | x |
| 6. | [2002]Aloysius U. Anagonye et al. | X | X | X | 0.4, 0.8, 1.2, 1.6 | x |
| 7. | [2003]J. L. C. Salles and M. T. T. Gonçalves | 160, 220, 280, 340, 400 | 0.025, 0.05, 0.10, 0.15, 0.20, 0.25, 0.30 | X | X | X |
| 8. | [2003]Yongjin Kwon and Gary W. Fischer | X | 0.07, 0.12 | X | X | X |
| 9. | [2004]K.Palanikumar et al. | 100, 250 | 0.10, 0.50 | 0.5, 1.0 | X | X |
| 10. | [2004]Yue Jiao et al. | 1200, 1700, 2200 | 0.15, 0.305, 0.508 | 0.508, 1.016, 1.524 | X | X |
| 11. | [2005]M. Bro¨zek | 86.4, 122.7 | X | X | X | X |
| 12. | [2005]Wassila Bouzid | Y | X | X | X | X |
| 13. | [2007]Mr. John Cooper and Dr. Bruce DeRuntz | X | 0.1 | X | X | X |
| 14. | [2008]Ataollah Javidi et al. | 80 | 0.05, 0.1, 0.2, 0.3, 0.4 | 0.5 | 0.2, 0.4, 0.8 | X |
| 15. | [2008]M. Anthony Xavior and M. Adithan | 38.95, 61.35, 97.38 | 0.2, 0.25, 0.28 | 0.5, 1.0, 1.2 | X | X |
| 16. | [2008]Raviraj Shetty et al. | 45, 73, 101 | 0.11, 0.18, 0.25 | 0.5 | X | X |
| 17. | [2008]Zhanqiang Liu et al. | 170 | 0.1 to 0.6 | 0.5 | X | X |
| 18. | [2009]B. Sidda Reddy et al. | Y | Y | Y | X | X |
| 19. | [2009]K. Kadirgama et al. | 140, 180, 100 | 0.15, 0.2, 0.1 | 0.1, 0.15, 0.2 | X | X |
| 20. | [2009]Vipin and Harish Kumar | 100, 120, 140 | 0.025, 0.05, 0.075 | 0.2, 0.3, 0.4 | X | X |
| 21. | [2010]Ali Riza Motorcu | 150, 210 | 0.11, 0.24 | 0.3, 1.0 | 0.8, 1.2 | X |
| 22. | [2010]E. Daniel | 2500, | 0.002, | 0.010, | X | X |

| No. | Reference | | | | | |
|---|---|---|---|---|---|---|
| | Kirby | 3500 | 0.003, 0.004, 0..5 | 0.020 | | |
| 23. | [2010]L. Rico et al. | 625, 950 | 1.6, 3.0 | 0.0156, 0.1250 | X | X |
| 24. | [2010]M. Kaladhar et al. | 111, 200 | 0.15, 0.4 | 0.25, 0.35 | 0., 0.8 | X |
| 25. | [2010]Mohan Singh et al. | Y | Y | X | Y | X |
| 26. | [2010]Young Kug Hwang and Choon Man Lee | 100, 300 | 0.1, 0.3 | 0.4, 1 | X | X |
| 27. | [2011]A. Y. Mustafa and T. Ali | X | 0.15, 0.30, 0.45 | 0.5, 1.0, 1.5 | X | X |
| 28. | [2011]Alexandru STANIMIR et al. | 120, 200 | Y | Y | X | X |
| 29. | [2011]Ilhan Asiltürk and Harun Akkus | 90, 120, 150 | 0.18, 0.27, 0.36 | 0.2, 0.4, 0.6 | X | X |
| 30. | [2011]LB Abhang and M Hameedullah | 39, 112, 184 | 0.2, 0.1, 0.15 | 0.2, 0.4, 0.6 | 0.4, 0.8, 1.2 | X |
| 31. | [2011]M. Naga Phani Sastry and. K. Devaki | 1500, 2000, 2500 | 0.20, 0.50, 1.0 | 0.2, 0.3, 0.5 | X | X |

| No. | Reference | | | | | |
|---|---|---|---|---|---|---|
| | Devi | | | | | |
| 32. | [2011]Yigit Kazancoglu et al. | 110, 300, 600 | 0.2, 0.4, 0.6 | 0.5, 1.0, 1.5 | X | X |
| 33. | [2012]A. V.N.L.Sharma et al. | 228, 450, 740 | 0.05, 0.08, 0.1 | 0.4, 0.6, 1 | X | X |
| 34. | [2012]D. Lazarević et al. | 65, 115, 213 | 0.049, 0.098, 0.196 | 1, 2, 4 | 0.4, 0.8 | X |
| 35. | [2012]Jitendra Verma et al. | 100, 125, 150 | 0.05, 0.1, 0.15 | 0.5, 1.0, 1.5 | X | X |
| 36. | [2012]Manish Kumar Yadav et al. | 180, 280 | 0.071, 0.14 | 0.8, 1.4 | X | X |
| 37. | [2012]Muhammad Munawar et al. | X | 0.100, 0.125, 0.150 | X | 0.4, 0.8, 1.2 | X |
| 38. | [2012]Neha Khatri et al. | 1000, 2000, 3000 | 1, 3, 6 | X | X | X |
| 39. | [2012]nh Nikunj Patel et al. | X | X | X | 0.2, 0.4, 0.8, 1.2 | 0 - 6 |
| 40. | [2012]Osarenmwinda. J O | 76, 600 | 0.5 | 1 | X | X |
| 41. | [2012]Sita Rama | 88, 150, | 0.05, | 0.2, 0.3, | X | X |

| | | | | | | |
|---|---|---|---|---|---|---|
| | Raju K et al. | 250 | 0.07, 0.1 | 0.4 | | |
| 42. | [2012]Sri nivasan. A et al. | 100-125 | 0.1, 0.15, 0.2 | 0.5, 0.75, 1.0 | X | X |
| 43. | [2012]Upi nder Kumar Yadav et al. | 175, 220, 264 | 0.1, 0.2, 0.3 | 0.5, 1.0, 1.5 | X | X |
| 44. | [2012]V. R. Chaudhari and Prof. D. B. Gohil | 265, 356, 440 | 0.06, 0.08, 0.12 | 0.1, 0.15, 0.2 | X | X |
| 45. | [2012]Wa da Tadahiro et al. | Y | Y | Y | X | X |
| 46. | [2013]A. V.N.L.Sh arma et al. | 740, 580, 450 | 0.09, 0.07, 0.05 | 0.25, 0.3, 0.1 | X | X |
| 47. | [2013] Ananthak umar. P et al. | 210, 530, 850 | 0.04 5, 0.09 0, 0.13 5 | 0.5, 1.0, 1.5 | X | X |
| 48. | [2013]K. Mani lavanya et al. | 360, 740, 1150 | 0.05, 0.1, 0.13 | 0.5, 0.75, 0.10 | X | X |
| 49. | [2013]Mu stafa Günay and Emre Yücel | 50,10 0, 150 | 0.05, 0.07 5, 0.1 | 0.25, 0.50, 0.75 | X | X |
| 50. | [2013]Sa muel. M et al. | 100, 150, 200 | 0.1, 0.15, 0.2 | 1, 1.5, 2 | X | X |
| 51. | [2013]T. Sreenivas | 360, 450, | 0.05, | 0.05, | X | X |
| | a Murthy et al. | 580 | 0.07, 0.09 | 0.1, 0.15 | | |

### 3.0 Conclusions

- From the published work, it is clear that most of the earlier research work used speed, feed and depth of cut as input parameters for studying the surface roughness.
- Some of them have considered nose radius as one of the parameter.

The published work is silent on simultaneous effect of tool geometry and material properties on surface roughness.

### References

[1] A. V. N. L. Sharma, K. Venkatasubbaiah, P. S. N.Raju, Parametric Analysis and Multi Objective Optimization of Cutting Parameters in Turning Operation of EN353 – With CVD Cutting Tool Using Taguchi Method, International Journal of Engineering and Innovative Technology, 2(9), 2013

[2] A.V. N. L. Sharma, Mr. P. Satyanarayana Raju, Mr. A. Gopichand, Dr. K. V. Subbaiah, Optimization Of Cutting Parameters On Mild Steel With HSS & Cemented Carbide Tipped Tools Using ANN,IJRET / NOV 2012, 1(3), 2012

[3] A. Y. Mustafa, T. Ali, Determination and optimization of the effect of cutting parameters and work piece length on the geometric tolerances and surface roughness in turning operation, International Journal of the Physical Sciences, 6(5), 2011, 1074-1084

[4] A. K. M. Nurul Amin, Md. Ruhul Amin Sarker, Mahiuddin Ahmed, A.N. Mustafizul Karim, Selection of cemented carbide turning tools using EMF and optimization criteria,Journal of Materials Processing Technology,77,1998, 59–63

[5] Alexandru STANIMIR, Marius ZAMFIRACHE, Nicolae Cătălin EFTENIE, Regressions Modeling of Surface Roughness

in Finish Turning of Hardened 205cr115 Steel Using Factorial Design Methodology, Fiabilitate si Durabilitate - Fiability & Durability no 1(7)/ 2011 Editura "Academica Brâncuşi" , Târgu Jiu, ISSN 1844 – 640X

[6] Ali Riza Motorcu,The Optimization of Machining Parameters Using the Taguchi Method for Surface Roughness of AISI 8660 Hardened Alloy Steel, Strojniški vestnik - Journal of Mechanical Engineering 56(2010) 6, 391-401

[7] Aloysius U. Anagonye, David A. Stephenson, Modeling Cutting Temperatures for Turning Inserts With Various Tool Geometries and Materials,Journal Of Manufacturing Science And Engineering, 2002

[8] Ananthakumar. P, Dr. Ramesh. M, Parameshwari, Optimization of Turning Process Parameters Using Multivariate Statistical Method-PCA Coupled with Taguchi Method, International Journal of Scientific Engineering and Technology, 2(4), 2013, 263-267

[9] Ataollah Javidi, Ulfried Rieger, Wilfried Eichlseder, The effect of machining on the surface integrity and fatigue life, International Journal of Fatigue, 2008

[10] B. Sidda Reddy, J. Suresh Kumar , K. Vijaya Kumar Reddy, Prediction of Surface Roughness in Turning Using Adaptive Neuro-Fuzzy Inference System, Jordan Journal of Mechanical and Industrial Engineering, 3(4), 2009, 252 - 259

[11] B. Y. Lee a, Y.S. Tarng, Surface roughness inspection by computer vision in turning operations, International Journal of Machine Tools & Manufacture 41, 2001, 1251–1263

[12] D. Lazarević, M. Madić, P. Janković, A. Lazarević, Cutting Parameters Optimization

for Surface Roughness in Turning Operation of Polyethylene (PE) Using Taguchi Method, Tribology in Industry, 34(2), 2012, 68-73

[13] E. Daniel Kirby, Optimizing the Turning Process Toward an Ideal Surface Roughness Target, Journal of Industrial Technology, 26(1), 2010

[14] Hasan GOKKAYA, Muammer NALBANT, The Effects of Cutting Tool Coating on the Surface Roughness of AISI 1015 Steel Depending on Cutting Parameters, Turkish J. Eng. Env. Sci. 30 (2006), 307 – 316.

[15] Hassan, Suliman ,Two stage method for obtaining machine Ability data for the steel turning process, International Journal of Production Research 26 (1988), 1861-1876

[16] Ilhan Asiltürk , Harun Akkus, Determining the effect of cutting parameters on surface roughness in hard turning using the Taguchi method,www.elsevier.com/ locate/measurement, Measurement 44 (2011) 1697–1704

[17] John Cooper, Dr. Bruce DeRuntz, The Relationship Between the Work piece Extension Length/Diameter Ratio and Surface Roughness in Turning Applications, Journal of Industrial Technology, 23(2), 2007

[18] J. L. C. Salles M. T. T. Gonçalves, Effects of Machining Parameters on Surface Quality of the Ultra High Molecular Weight Polyethylene (UHMWPE), Matéria, 8(1), 2003, 1-10

[19] Jitendra Verma, Pankaj Agrawal, Lokesh Bajpai, Turning Parameter Optimization for Surface Roughness Of ASTM A242 Type-1 Alloys Steel By Taguchi Method, International Journal of Advances in Engineering & Technology, 2012.

[20] K. Kadirgama., M. M. Noor, M. M. Rahman, M. R. M. Rejab, C. H. C. Haron, K. A. Abou-El-Hossein, Surface Roughness Prediction Model of 6061-T6 Aluminium Alloy Machining Using Statistical Method, European Journal of Scientific Research ISSN 1450-216X, 25(2), 2009, 250-256

[21] K. Mani lavanya, R. K. Suresh, A. Sushil Kumar Priya, V. Diwakar Reddy, Optimization of Process Parameters in Turning Operation of AISI-1016 Alloy Steels with CBN Using Taguchi Method And Anova, IOSR Journal of Mechanical and Civil Engineering (IOSR-JMCE), 7(2), 2013, 24-27

[22] K. Palanikumar, L. Karunamoorthy, R. Karthikeyan, Optimizing the Machining Parameters for Minimum Surface Roughness in Turning of GFRP Composites Using Design of Experiments, J. Mater. Sci. Technol., 20(4), 2004

[23] L B Abhang and M Hameedullah, Statistical Modeling of Surface Roughness produced by Wet turning using
soluble oil-water mixture lubricant, AMAE Int. J. on Manufacturing and Material Science, 1(1), 2011

[24] L. Rico, S. Noriega, J.L. García, E.A. Martínez, R. Ñeco, F.J. Estrada, Effect of the Side Cutting–Edge Angle on the Surface Roughness for Aluminum 1350 in the Turning Operation by Taguchi Method, Journal of Applied Research and Technology, 8(3), 2010 395-405

[25] Lambert, B. K., Taraman, K., A surface roughness model for a turning operation, International Journal of Production Research, 12, 1974, 691- 703.

[26] M. Anthony Xavior, M. Adithan, Determining the influence of cutting fluids on tool wear and surface roughness during turning of AISI 304 austenitic stainless steel, journal of materials processing technology, 2008

[27] M. Broˇzek, Cutting conditions optimization when turning overlays, Journal of Materials Processing Technology 168, 2005, 488–495

[28] M. Kaladhar, K. Venkata Subbaiah, Ch. Srinivasa Rao and K. Narayana Rao, Optimization Of Process Parameters In Turning Of Aisi202 Austenitic Stainless Steel, ARPN Journal of Engineering and Applied Sciences, 5(9), 2010

[29] M. Naga Phani Sastry and. K. Devaki Devi, Optimization of Performance Measures in CNC Turning using Design of Experiments (RSM),Science Insights: An International Journal, 2011

[30] Manish Kumar Yadav, P. K. Sinha, Gopal P. Sinha, A comparative study of surface roughness in Multi tool turning with single tool turning through factorial design of experiments, International Journal of Scientific & Engineering Research, 3(8), 2012

[31] Mohan Singh, Dharmpal Deepak, Manoj Singla, A comprehensive study of operational condition for turning process to optimize the surface roughness of object, International Journal on Emerging Technologies 1(1): 97-101, 2010

[32] Muhammad Munawar, Nadeem A. Mufti and Hassan Iqbal, Optimization of Surface Finish in Turning Operation by Considering the Machine Tool Vibration using Taguchi Method, Mehran University Research Journal of Engineering & Technology, 31(1), 2012

[33] Mustafa Günay, Emre Yücel, Application of Taguchi method for determining optimum surface roughness in turning of high-alloy white cast iron, Measurement 46 (2013) 913–919

[34] Neha Khatri, Vinod Mishra, Rama Gopal V Sarepaka, Optimization of Process Parameters to Achieve Nano Level Surface Quality on Polycarbonate, International Journal of Computer Applications (0975 – 888), 48–13, 2012

[35] Nikunj Patel, R. K. Patel, U. J. Patel, B. P. Patel, Insert Selection for Turning Operation on CNC Turning Centre using MADM Methods, International Journal of Latest Trends in Engineering and Technology (IJLTET), 1(3), 2012

[36] Osarenmwinda, J O, Empirical model for estimating the surface roughness of machined components under various cutting speed, J. Appl. Sci. Environ. Manage. 16 (1),2012, 65 - 68

[37] Rasch, F.O., Rolstadas, Series of finish turning tests under variation of parameters: material quality, tool quality, tool nose radius, feed, speed and cutting time, Journal of Materials Processing Technology, 132, 1971, 203-214

[38] Raviraj Shetty, R. Pai, V. Kamath, S. S. Rao, Study on Surface Roughness Minimization In Turning Of Dracs Using Surface Roughness Methodology And Taguchi Under Pressured Steam Jet Approach, ARPN Journal of Engineering and Applied Sciences, 3(1), 2008

[39] Samuel.M, K. Chandrasekaran, C. Parthasarathy, B. Sivapragash, D. Kamalakkannan, Prediction of Surface Roughness Responses in Turning on Cu Graphite MMC Fabricated Through Stir Casting Method, International Journal of Emerging Technology and Advanced Engineering, 3(3), 2013

[40] Ship-Peng Lo, An analysis of cutting under different rake angles using the finite element method, Journal of Materials Processing Technology 105 (2000) 143±151

[41] Sita Rama Raju K, Rajesh S, Rama Murty Raju P ,Prediction of surface roughness in turning process using soft computing techniques ,Int. Journal of Applied Sciences and Engineering Research, 1(2), 2012

[42] Srinivasan, A., R. M. Arunachalam, S. Ramesh, J. S. Senthilkumaar, Machining Performance Study on Metal Matrix Composites-A Response Surface Methodology Approach, American Journal of Applied Sciences 9 (4): 478-483, 2012

[43] T. Sreenivasa Murthy, R.K. Suresh, G. Krishnaiah, V. Diwakar Reddy, Optimization of process parameters in dry turning operation of EN 41B alloy steels with cermet tool based on the Taguchi method, International Journal of Engineering Research and Applications (IJERA), 3(2), 2013, 1144-1148

[44] Upinder Kumar Yadav, Deepak Narang, Pankaj Sharma Attri, Experimental Investigation And Optimization Of Machining Parameters For Surface Roughness In CNC Turning By Taguchi Method, International Journal of Engineering Research and Applications, 2(4), 2012, 2060-2065

[45] V. R. Chaudhari, D. B. Gohil, Prediction of Surface Roughness Using Artificial Neural Network: a review, International Journal of Emerging trends in Engineering and Development, 2(4), 2012

[46] Vipin, Harish Kumar, Surface Roughness Prediction Model by Design of Experiments for Turning Leaded Gun Metal, International Journal of Applied Engineering Research, 4(12), 2009, 2621–2628

[47] Wada Tadahiro, Hiro Kazuki, Nakanishi Jun, Cutting Performance of Turning Insert with Three-arcs-shaped Finishing Edge, Applied Mechanics and Materials, 110-116, 2012, 1630-1636

[48] Wassila Bouzid, Cutting parameter optimization to minimize production time in high speed turning, Journal of Materials Processing Technology 161, 2005, 388–395

[49] Yigit Kazancoglu, Ugur Esme, Melih Bayramoglu, Onur Guven, Sueda Ozgun, Multi-Objective Optimization Of The Cutting Forces In Turning Operations Using The Grey-Based Taguchi Method, Materiali in tehnologije / Materials and technology 45 (2011) 2, 105–110

[50] Yongjin Kwon, Gary W. Fischer ,A novel approach to quantifying tool wear and tool life measurements for optimal tool management, International Journal of Machine Tools & Manufacture 43 (2003) 359–368

[51] Young Kug Hwang, Choon Man Lee, Surface roughness and cutting force prediction in MQL and wet turning process of AISI 1045 using design of experiments†, Journal of Mechanical Science and Technology 24(8), (2010) 1669~1677

[52] Yue Jiao, Shuting Lei, Z.J. Pei, E.S. Lee ,Fuzzy adaptive networks in machining process modeling: surface roughness prediction for turning operations, International Journal of Machine Tools & Manufacture 44 (2004) 1643–1651

[53] Zhanqiang Liu, Peng Zhang, Peng Guo and Xing Ai, Surface Roughness in High Feed Turning with Wiper Insert, Key Engineering Materials, 375-376, (2008), 406-410